Author Index

ABRAHAM, G.N. *see* PERL, A.
ABU-SHAKRA, M. *see* BUSKILA, D.
ADDISON, I.E., JOHNSON, B., DEVEREUX, S., GOLDSTONE, A.H. & LINCH, D.C. Granulocyte-macrophage colony-stimulating factor may inhibit neutrophil migration *in vivo*, 149
ALLSOP, J. *see* NORTH, M.E.
D'AMELIO, R., DEL GIUDICE, G., DE ROSA, F., BRIGHOUSE, G., TEGGI, A. & LAMBERT, P.H. Spectrotypic analysis of humoral response in human hydatidosis, 117
AMITAL-TEPLIZKI, H. *see* BUSKILA, D.
ANDREOLI, A. *see* FILLEY, E.
ANDREONI, C. *see* MILLET, I.
ANGUS, H.B. *see* KENNEDY, I.C.S.
ARGOV, S., JAFFE, C.L., KRUPP, M., SLOR, H. & SHOENFELD, Y. Autoantibody production by patients infected with leishmania, 190
ARNETT, F.C. *see* YANEVA, M.
ARUMUGAM, Y. *see* HOFMAN-GOETZ, L.
ASTALDI RICOTTI, G.C.B. *see* MELICONI, R.
AURIAULT, C. *see* PANCRE, V.
AZADEGAN, A. *see* CRONIN, W.

BACON, P.A. *see* GASTON, J.S.H.
BAILEY, L. *see* GASTON, J.S.H.
BALTZ, M.L. *see* SNEL, F.W.J.J.
BARNETT, A.J., TAIT, B.D., BARNETT, M.A. & TOH, B.H. T lymphocyte subset abnormalities and HLA antigens in scleroderma (systemic sclerosis), 24
BARNETT, M.A. *see* BARNETT, A.J.
BASOLO, F. *see* GARZELLI, C.
BATE, C.A.W. *see* MORENO, C.
BESTAGNO, M. *see* MELICONI, R.
BHALLA, A.K., WILLIAMS, M.M., LAL, S. & LYDYARD, P.M. 1,25 Dihydroxivitamin D_3, but not retinoic acid, induces the differentiation of U937 cells, 274
BLOOT, A.M. *see* VOORBY, H.A.M.
DU BOIS, R.M. *see* NOBLE, B.
BRANDON, M.R. *see* BURRELS, C.
BREALEY, R.J. *see* MORENO, C.
BRIERE, F. *see* MILLET, I.
BRIGHOUSE, G. *see* D'AMELIO, R.
BROLIDEN, P.M. MORFELDT-MÅNSSON, L., ROSEN, J., JONDAL, M. & WAHREN, B. Fine specificity of IgG subclass response to group antigens in HIV-1 infected patients, 216
LA BROOY, J.T. *see* DEVERY, J.M.
BROT, N. *see* MAGSAAM, J.
BRUIJN, J.A., VAN ELVEN, E.H., CORVER, W.E., OUDSOORN-SNOEK, M. & FLEURIN, G.J. Genetics of experimental lupus nephritis: non-H-2 factors determine susceptibility for renal involvement in murine chornic graft-versus-host disease, 284
BUERKI, H. *see* KRAFT, R.
BURRELS, C., NETTLETON, P.F., REID, H.W., MILLER, H.R.P., HOPKINS, J., MCCONNELL, I., GORRELL, M.D. & BRANDON, M.R. Lymphocyte subpopulation in the blood of sheep persistently infected with Border disease virus, 446
BUSKILA, D., ABU-SHAKRA, M., AMITAL-TEPLIZKI, H., COATES, A.R.M., KRUPP, M., SUKENIK, S. & SHOENFELD, Y. Serum monoclonal antibodies derived from patients with multiple myeloma react with mycobacterial phosphoinosidites, 378
BYRNE, W.R. *see* CROSS, A.S.

DE LA CALLE, O. *see* ENGEL, P.
CAPRON, A. *see* PANCRE, V.
CAPRON, A. *see* TILMANT, L.
CARAJON, P. *see* CHIOVATO, L.
CARLSEN, A., GAUDERNACK, G., FILION-MYKLEBUST, C., PETTERSEN, K.S. & PRYDZ, H. Allogeneic induction of thromboplastin synthesis in monocytes and endothelial cells. Biphasic effect of cyclosporin A, 428
CAYZER, C.J.R. *see* FERNAN, A.
CHAPMAN, R.W. *see* SNOOKE, J.A.
CHIANG, T.J. *see* RASHEED, F.N.
CHIOVATO, L., VITTI, P., CUCCHI, P., MAMMOLI, C., CARAJON, P. & PINCHERA, A. The expression of the microsomal/peroxidase autoantigen in human thyroid cells is thyrotrophin-dependent, 47
CHUGO, T., MACHII, T., TAGAWA, S., KURATSUNE, H., UEDA, E., KIMURA, H. & KITANI, T. Inhibition of human natural killer activity by antiserum against vitamin D-binding protein, a group-specific component (Gc), 154
CIARRHOCCHI, G. *see* MELICONI, R.
CLARK, A. *see* WILEY, K.N.
COATES, A.R.M. *see* BUSKILA, D.
COLE, P.J. *see* GARBETT, N.D.
COLEMAN, J.W. *see* MARTINEZ, F.
COLLS, B.M. *see* KENNEDY, I.C.S.
CONDEMI, J.J. *see* PERL, A.
CONSALVEY, S. *see* GASTON, J.S.H.
COOKSLEY, W.G.E. *see* FERNAN, A.
CORVER, W.E. *see* BRUIJN, J.A.
COTTIER, H. *see* KRAFT, R.
CRONIN, W., DEOL, H., AZADEGAN, A. & LANGE, K. Endostreptosin: isolation of the probable immunogen of cute post-streptococcal glomerulonephritis (PSGN), 198
CROSS, A.S., SIEGEL, G., BYRNE, W.R., TRAUTMANN, M. & FINBLOOM, D.S. Intravenous immune globulin impairs anti-bacterial defences of a cyclophosphamide-treated host, 159
CUCCHI, P. *see* CHIOVATO, L.
CURRIE, D.C. *see* GARBETT, N.D.

DALH CHRISTENSEN, L. *see* TVEDE, N.
DAVIDSON, G. *see* DEVERY, J.M.
DELANOYE, A. *see* PANCRE, V.
DEOL, H. *see* CRONIN, W.
DESSAINT, J.P. *see* TILMANT, L.
DEVEREUX, S. *see* ADDISON, I.E.
DEVERY, J.M., LA BROOY, J.T., KRILLIS, S., DAVIDSOSON, G. & SKERRITT, J.H. Anti-gliadin antibody specificity for gluten-derived peptides toxic to coeliac patients, 384
DIAMANTSTEIN, T. *see* VOLK, H.-D.
DOCHERTY, V. *see* HOLME, E.R.
DOHRMANN, J. *see* HOFFMANN, R.M.
DREXHAGE, H.A. *see* VOORBY, H.A.M.
DWEK, R. *see* FILLEY, E.

VAN EDEREN, A.M. *see* SNEL, F.W.J.J.
ENGEL, P., INGLES, J., DE LA CALLE, O. & GALLART, T. Cellular activation without proliferation to B cell growth factor and interleukin 2 in chronic lymphocytic leukaemia B cells stimulated with phorbol ester plus calcium ionophore, 61
EGIDO, J. *see* GONZALÉZ-CABRERO, J.
EISENBURG, J. *see* HOFFMANN, R.M.
ELKON, K.B. *see* MAGSAAM, J.
VAN ELVEN, E.H. *see* BRUIJN, J.A.
ERMAK, T.H. *see* PAPPO, J.

FACCHINI, A. *see* MELICONI, R.
FALCONE, G. *see* GARZELLI, C.
FARRANT, J. *see* NORTH, M.E.
FERGUSON, A. *see* KAY, R.A.
FERNAN, A., CAYZER, C.J.R. & COOKSLEY, W.G.E. HBsAg-induced antigen-specific T and B lymphocyte responses in chronic hepatitis B virus carriers and immune individuals, 222
FESTENSTEIN, H. *see* RASHEED, F.N.

FILION-MYKLEBUST, C. *see* CARLSEN, A.
FILLEY, E., ANDREOLI, A., STEELE, J., WATERS, M., WAGNER, D., NELSON, D., TUNG, K., RADEMACHER, T., DWEK, R. & ROOK, G.A.W. A transient rise in agalactosyl IgG correlating with free interleukin 2 receptors, during episodes of erythema nodosum leprosum, 343
FINBLOOM, D.S. *see* CROSS, A.S.
FITZHARRIS, P. *see* WALKER, C.A.
FLEMING, K. *see* SNOOK, J.A.
FOX, M. *see* WILEY, K.N.
FREI, P.C. *see* LANTIN, J.P.
FRIEDMANN, P.S., WHITE, S.I., PARKER, S., MOSS, C. & MATTHEWS, J.N.S. Antigenic stimulation during ultraviolet therapy in man does not result in immunological tolerance, 68
FRYDÉN, A. *see* GRÖNBERG, A.

VAN DER GAAG, R.D. see VOORBY, H.A.M.
GALAVOTTI, V. *see* MELICONI, R.
GALLART, T. *see* ENGEL, P.
GANDOLFI, A.J. *see* HUBBARD, A.K.
GANSBACHER, B. & ZIER, K.S. HLA Class II mRNA accumulation by activated human T cells following growth in conditioned medium, 440
GARBETT, N.D., CURRIE, D.C. & COLE, P.J. Comparison of the clinical efficacy and safety of an intramuscular and an intravenous immunoglobulin preparation for replacement therapy in idiopathic adult onset panhypogammaglobulinaemia, 1
GARBETT, N.D., MUNRO, C.S. & COLE, P.J. Opsonic activity of a new intravenous immunoglobulin preparation: Pentaglobin compared with Sandoglobulin, 8
GARBETT, N.D., MATHARU, G.S. & COLE, P.J. Defective opsonization of *Haemophilus influenzae* by sera of elderly patients, 73
GARZELLI, C., PACCIARDI, A., BASOLO, F. & FALCONE, G. Mechanisms other than polyclonal B cell activation possibly involved in Epstein–Barr virus-induced autoimmunity, 412
GASBARRINI, G. *see* MELICONI, R.
GASTON, J.S.H., LIFE, P.F., GRANFORS, K., MERILAHTI-PALO, R., BAILEY, L., CONSALVEY, S., TOIVANEN, A. & BACON, P.A. Synovial T lymphocyte recognition of organisms that trigger reactive arthritis, 348
GAUDERNACK, G. *see* CARLSEN, A.
GECZY, C.L. *see* MANOLIOS, N.
GHARAVI, A.E. *see* MAGSAAM, J.
GHEORGHIU, M. *see* LECOEUR, H.F.
DEL GIUDICE, G. *see* D'AMELIO, R.
GOLDSTONE, A.H. *see* ADDISON, I.E.
GONZÁLEZ-CABRERO, J., EGIDO, J., MAMPASO, F., RIVAS, M.C. & HERNANDO, L. Characterization of circulating idiotypes containing immune complexes and their presence in the glomerular mesangium in patients with IgA nephropathy, 204
GOREVIC, P.D. *see* PERL, A.
GORRELL, M.D. *see* BURRELS, C.
GRAF, I. *see* LANTIN, J.P.
GRANFORS, K. *see* GASTON, J.S.H.
GRANFORS, K. *see* TERTTI, R.
GRÖNBERG, A., FRYDÉN, A. & KIHLSTRÖM, E. Humoral immune response to individual *Yersinia enterocolitica* antigens in patients with and without reactive arthritis, 361
GROSS, M. *see* VOLK, H.-D.
GROSSET, J. *see* LECOEUR, H.F.
GRUYS, E. *see* SNEL, F.W.J.J.

HABETS, W.J.A., HOET, M.H., SILLEKENS, P.T.G., DE ROOU, D.J.A.R.M., VAN DE PUTTE, I.B.A. & VAN VENROOU, W.J. Detection of autoantibodies in a quantitative immunoassay using recombinant ribonucleoprotein antigens, 172
HAMADA, S. *see* OGAWA, T.
VAN DER HARDT, H. *see* SCHÖNFELD, W.
HARLEY, J.B. *see* REICHLIN, M.
HART, D.N.J. *see* KENNEDY, I.C.S.
HARVEY, G.K., POLLARD, J.D., SCHINDHELM, K. & MCLEOD, J.G. Experimental allergic neuritis: effects of plasma infusion, 452
HASAN, R.S. *see* RASHEED, F.N.
HASHIMOTO, S., MCCOMBS, C.C. & MICHALSKI, J.P. Mechanism of a lymphocyte abnormality associated with HLA-B8/DR3 in clinically healthy individuals, 317
HATANO, M. *see* TANUMA, Y.
HAUPTMANN, G. *see* HOLME, E.R.
HEILMAN, C. *see* TVEDE, N.
HERNANDO, L. *see* GONZÁLEZ-CABRERO, J.
HESS, M.W. *see* KRAFT, R.
HOET, M.H. *see* HABETS, W.J.A.
HOFFMANN, R.M., PAPE, G.R., SPENGLER, U., RIEBER, E.P., EISENBURG, J., DÖHRMANN, J., PAUMGARTNER, G. & RIETHMÜLLER, G. Clonal analysis of liver-derived T cells of patients with priamry biliary cirrhosis, 210
HOFMAN-GOETZ, L., THORNE, R., RANDALL SIMPSON, J.A. & ARUMUGAM, Y. Exercise stress alters murine lymphocyte subset distribution in spleen, lymph nodes and thymus, 307
HØIER-MADSEN, M. *see* MOURITSEN, S.
HOL, P.R. *see* SNEL, F.W.J.J.
HOLME, E.R., VEITCH, J. JOHNSTON, A., HAUPTMANN, G., URING-LAMBERT, B., SEYWRIGHT, M., DOCHERTY, V., MORLEY, W.N. & WHALEY, K. Familial properdin deficiency associated with chronic discoid lupus erythematosus, 76
HOPKINS, J. *see* BURRELS, C.
HOSKIN, D.W. & MURGITA, R.A. Specific maternal anti-fetal lymphoproliferative responses and their regulation by natural immunosuppressive factors, 262
HOUKAN, T. *see* NARUO, K.-I.
HUBBARD, A.K., ROTH, T.P., SCHUMAN, S. & GANDOLFI, A.J. Localization of halothane-induced antigen *in situ* by specific anti-halothane metabolite antibodies, 422
HINUMA, S. *see* NARUO, K.-I.
HUSBY, G. *see* TSUCHIYA, N.

INGLES, J. *see* ENGEL, P.

JAFFE, C.L. *see* ARGOV, S.
JEUCKEN, P.H.M. *see* VOORBY, H.A.M.
JEWELL, D.P. *see* SNOOK, J.A.
JOHNSON, B. *see* ADDISON, I.E.
JOHNSTON, A. *see* HOLME, E.R.
JONDAL, M. *see* BROLIDEN, P.A.
JOSEPH, M. *see* PANCRÉ, V.
JOSIMOVIC-ALASEVIC, O. *see* VOLK, H.-D.

KAGAMI, S. *see* OITE, T.
KANEGANE, H. *see* UENO, Y.
KASINRERK, W. *see* MAKONKAWKEYOON, S.
KAY, R.A. & FERGUSON, A. Systemic delayed-type hypersensitivity to cholera toxin and a detoxified derivative, 111
KENNEDY, I.C.S., HART, D.N.J., COLLS, B.M., NIMMO, J.C., WILLIS, D.A. & ANGUS, H.B. Nodular sclerosing, mixed cellularity and lymphocyte-depleted variants of Hodgkin's disease are probable dendritic cell malignancies, 324
KIHLSTRÖM, E. *see* GRÖNBERG, A.
KIMURA, H. *see* CHUGO, T.
KING, W.F. *see* SMITH, D.J.
KITANI, T. *see* CHUGO, T.
KIYONO, H. *see* OGAWA, T.
KONIG, W. *see* SCHÖNFELD, W.
KRAFT, R., BUERKI, H., SCHEIZER, T., HESS, M.W., COTTIER, H. & STONER, R.D. Tetanus toxoid complexed with heterologous antibody can induce germinal centre formation and B cell memory in mice without evoking a detectable anti-toxin response, 138
KRILLIS, S. *see* DEVERY, J.M.
KRUPP, M. *see* ARGOV, S.
KRUPP, M. *see* BUSKILA, D.
KURATSUNE, H. *see* CHUGO, T.

LAGRANGE, P.H. *see* LECOEUR, H.F.
LAHESMAA-RANTALA, R. *see* TERTTI, R.
LAL, S. *see* BHALLA, A.K.
LAMBERT, P.H. *see* D'AMELIO, R.
LANGE, K. *see* CRONIN, W.
LANTIN, J.P., GRAF, I. & FREI, P.C. Serological diagnosis of HIV infection: incidence, outcome and significance of partial reactions found in Western blot analysis, 332

LAPPIN, D. & WHALEY, K. Modulation of monocyte complement synthesis by lymphocytes and lymphocyte-conditioned media, 86
LECOEUR, H.F., LAGRANGE, P.H., TRUFFOT-PERNOT, C., GHEORGHIU, M. & GROSSET, J. Relapses after stopping chemotherapy for experimental tuberculosis in genetically resistant and susceptible strains of mice, 458
LEMIEUX, S. *see* TURCOTTE, R.
LEMM, G. *see* RUSCHEN, R.
LIFE, P.F. *see* GASTON, J.S.H.
LINCH, D.C. *see* ADDISON, I.E.
LOCNISKAR, M. *see* RASHEED, F.N.
LONGBOTTOM, J.L. *see* WALKER, C.A.
LYDYARD, P.M. *see* BHALLA, A.K.

MACHII, T. *see* CHUGO, T.
MAGSAAM, J., GHARAVI, A.E., PARNSSA, A.P., WEISSBACH, H., BROT, N. & ELKON, K.B. Quantification of lupus anti-ribosome P antibodies using a recombinant P2 fusion protein and determination of the predicted amino acid sequence of the autoantigen in patients' mononuclear cells, 165
MAKONKAWKEYOON, S. & KASINRERK, W. *In vitro* suppression of interleukin 2 production by *Mycobacterium leprae* antigen, 398
MAMMOLI, C. *see* CHIOVATO, L.
MAMPASO, F. *see* GONZÁLEZ-CABRERO, J.
MANOLIOS, N., SCHREIBER, L., NELSON, M. & GECZY, C.L. Enhanced interferon-gamma (IFN) production by lymph node cells from autoimmune (MRL/1, MRL/n) mice, 301
MARTINEZ, F. & COLEMAN, J.W. The effects of selected drugs, including chlorpromazine and non-steroidal anti-inflammatory agents, on polyclonal IgG synthesis and interleukin 1 production by human peripheral blood mononuclear cells *in vitro*, 252
MATHARU, G.S. *see* GARBETT, N.D.
MATTHEWS, J.N.S. *see* FRIEDMANN, P.S.
MCADAM, K.P.W.J. *see* RASHEED, F.N.
MCCLOSKEY, D.J. *see* RASHEED, F.N.
MCCOMBS, C.C. *see* HASHIMOTO, S.
MCCONNELL, I. *see* BURRELS, C.
MCGHEE, J.R. *see* OGAWA, T.
MCGHEE, M.L. *see* OGAWA, T.
MCLEOD, J.G. *see* HARVEY, G.K.
MEAGER, A. *see* MORENO, C.
MEHLERT, A. *see* MORENO, C.
MELICONI, R., BESTAGNO, M., STURANI, C., NEGRI, C., GLAVOTTI, V., SALA, C., FACHINI, A., CIARROCCHI, G., GASBARRINI, G. & ASTALDI RICOTTI, G.C.B. Autoantibodies to DNA topoisomerase II in cryptogenic fibrosing alveolitis and connective tissue disease, 184
MERILAHTI-PALO, R. *see* GASTON, J.S.H.
MESTECKY, J. *see* OGAWA, T.
MICHALSKI, J.P. *see* HASHIMOTO, S.
MILLER, H.R.P. *see* BURRELS, C.
MILLET, I., BRIERE, F., VINCENT, C., ROUSSET, F., ANDREONI, C., DE VRIES, J.E. & REVILLARD, J.P. Spontaneous expression of a low affinity Fc receptor for IgA (FcαR) on human B cell lines, 268
MISHRA, R.S. *see* MITTAL, A.
MITTAL, A., MISHRA, R.S. & NATH, I. Accessory cell heterogeneity in lepromatous leprosy; dendritic cells and not monocytes support T cell responses, 233
MIYAWAKI, T. *see* UENO, Y.
MIYAWAKI, T. *see* YACHIE, A.
MOLDOVEANU, Z. *see* OGAWA, T.
MORENO, C., TAVERNE, J., MEHLERT, A., BATE, C.A.W., BREALY, R.J., MEAGER, A., ROOK, G.A.W. & PLAYFAIR, J.H.L. Lipoarabinomannan from *Mycobacterium tuberculosis* induces the production of tumour necrosis factor from human and murine macrophages, 240
MORFELDT-MÅNSSON, L. *see* BROLIDEN, P.A.
MORIOKA, T. *see* OITE, T.
MORLEY, W.N. *see* HOLME, E.R.
MOSS, C. *see* FRIEDMANN, P.S.
MOURITSEN, S., HØIER-MADSEN, M., WIIK, A., ORUM, Ø. & STRANDBERG PEDERSEN, N. The specificity of anti-cardiolipin antibodies from syphilis patients and from patients with systemic lupus erythematosus, 178
MUNRO, C.S. *see* GARBETT, N.D.
MURGITA, R.A. *see* HOSKIN, D.W.

NARUO, K.-I., HINUMA, S., SHIHO, O., HOUKAN, T., OOTSU, K. & TSUKAMOTO, K. Detection and characterization of anti-tumour effector cells in Meth-A-bearing mice treated with recombinant human interleukin 2, 278
NATH, I. *see* MITTAL, A.
NEGRI, C. *see* MELICONI, R.
NELSON, D. *see* FILLEY, E.
NELSON, M. *see* MANOLIOS, N.
NETTLETON, P.F. *see* BURRELS, C.
NEWMAN TAYLOR, A.J. *see* WALKER, C.A.
NIEWOLD, TH. A. *see* SNEL, F.W.J.J.
NIMMO, J.C. *see* KENNEDY, I.C.S.
NOBLE, B., DU BOIS, R.M. & POULTER, L.W. The distribution of phenotypically distinct macrophage subsets in the lungs of patients with cryptogenic fibrosing alveolitis, 41
NORTH, M.E., SPICKET, G.P., ALLSOP, J. WEBSTER, A.D.B. & FARRANT, J. Defective DNA synthesis in acquired 'common-variable' hypogammaglobulinaemia on stimulation with mitogens, 19

OGAWA, T., MCGHEE, M.L., MOLDOVEANU, Z., HAMADA, S., MESTECKY, J., MCGHEE, J.R. & KIYONO, H. *Bacteroides*-specific IgG and IgA subclass antibody-secreting cells isolated from chronically inflamed gingival tissues, 103
OHI, H. *see* TANUMA, Y.
OITE, T., SHIMIZU, F., KAGAMI, S. & MORIOKA, T. Hapten-specific cellular immune response producing glomerular injury, 463
OOTSU, K. *see* NARUO, K.-I.
ORUM, Ø. *see* MOURITSEN, S.
OUDSHOORN-SNOEK, M. *see* BRUIJN, J.A.

PACCIARDI, A. *see* GARZELLI, C.
PANCRÉ, V., JOSEPH, M., CAPRON, A., DELANOYE, A., VORNG, H. & AURIAULT, C. Characterization of a suppressive factor of platelet cytotoxic functions in human and rat schistosomiasis *mansoni*, 417
PAPE, G.R. *see* HOFFMANN, R.M.
PAPPO, J. & ERMAK, T.H. Uptake and translocation of fluorescent latex particles by rabbit Peyer's patch follicle epithelium: a quantitative model for M cell uptake, 144
PARKER, S. *see* FRIEDMANN, P.S.
PAUMGARTNER, G. *see* HOFFMANN, R.M.
PEÇANHA, L.T. & DOS REIS, G.A. Functional heterogeneity in the process of T lymphocyte activation; barium blocks several modes of T cell activation but spares a functionally unique subset of PHA-activated T cells, 311
PEPYS, M.B. *see* SNEL, F.W.J.J.
PERL, A., GOREVIC, P.D., RYAN, D.H. CONDEMI, J.J., RUSKOWSKI, R.J. & ABRAHAM, G.N. Clonal B cell expansions in patients with essential mixed cryoglobulinaemia, 54
PETERSEN, K.S. *see* CARLSEN, A.
PINCHERA, A. *see* CHIOVATO, L.
PLAYFAIR, J.H.L. *see* MORENO, C.
POLLARD, J.D. *see* HARVEY, G.K.
POULTER, L.W. *see* NOBLE, B.
PARNASSA, A.P. *see* MAGSAAM, J.
PRYDZ, H. *see* CARLSEN, A.
VAN DE PUTTE, I.B.A. *see* HABETS, W.J.A.

RADEMACHER, T. *see* FILLEY, E.
RADER, M. *see* REICHLIN, M.
RANDALL SIMPSON, J.A. *see* HOFMAN-GOETZ, L.
RASHEED, F.N., LOCNISKAR, M., MCCLOSKEY, D.J., HASAN, R.S., CHIANG, T.J. ROSE, P., DE SOLDENHOFF, R., FESTENSTEIN, H. & MCADAM, K.P.W.J. Serum lymphocytotoxic activity in leprosy, 391
REICHLIN, M., RADER, M. & HARLEY, J.B. Humoral immune response to the Ro/SSA particle is directed to the human antigen, 373
REID, H.W. *see* BURRELS, C.
DOS REIS, G.A. *see* PEÇANHA, L.T.
REVILLARD, J.P. *see* MILLET, I.
RIEBER, E.P. *see* HOFFMANN, R.M.
RIETHMÜLLER, G. *see* HOFFMANN, R.M.
RIVAS, M.C. *see* GONZÁLES-CABRERO, J.
DE ROOIJ, D.J.R.A.M. *see* HABETS, W.J.A.
ROOK, G.A.W. *see* FILLEY, E.
ROOK, G.A.W. *see* MORENO, C.

DE ROSA, F. *see* D'AMELIO, R.
ROSE, P. *see* RASHEED, F.N.
ROSEN, J. *see* BROLIDEN, P.A.
ROSTAGNO, A. *see* SALVARREY, M.
ROTH, T.P. *see* HUBBARD, A.K.
ROUSSET, F. *see* MILLET, I.
RUSCHEN, R., LEMM, G. & WARNATZ, H. Spontaneous and LPS-stimulated production of intracellular IL-1β by synovial macrophages in rheumatoid arthritis is inhibited by IFN-γ, 246
RUSKOWSKI, R.J. *see* PERL, A.
RYAN, D.H. *see* PERL, A.

SAAK, A. *see* SCHÖNFELD, W.
SALA, C. *see* MELICONI, R.
SALVARREY, M. & ROSTAGNO, A. Affinity of fibronectin for polyclonal IgG, 92
SCHEIZER, T. *see* KRAFT, R.
SCHINDHELM, K. *see* HARVEY, G.K.
SCHÖNFELD, W., SAAK, A., STEINKAMP, G., VAN DER HARDT, H. & KONIG, W. Histamine release from basophils in cystic fibrosis, 434
SCHREIBER, L. *see* MANOLIOS, N.
SCHUMAN, S. *see* HUBBARD, A.K.
SEKI, M. *see* TANUMA, Y.
SEYWRIGHT, M. *see* HOLME, E.R.
SHIHO, O. *see* NARUO, K.-I.
SHIMIZU, F. *see* OITE, T.
SHOENFELD, Y. *see* ARGOV, S.
SHOENFELD, Y. *see* BUSKILA, D.
SIEGEL, G. *see* CROSS, A.S.
SILLEKENS, P.T.G. *see* HABETS, W.J.A.
SKERRITT, J.H. *see* DEVERY, J.M.
SLOR, H. *see* ARGOV, S.
SMITH, D.J., KING, W.F. & TAUBMAN, M.A. Isotype, subclass and molecular size of immunoglobulins in salivas from young infants, 97
SNEL, F.W.J.J., NIEWOLD, TH.A., BALTZ, M.L., HOL, P.R., VAN EDEREN, A.M., PEPYS, M.B. & GRUYS, E. Experimental amyloidosis in the hamster: correlation between hamster female protein levels and amyloid deposition, 296
SNOOKE, J.A., CHAPMAN, R.W., FLEMING, K. & JEWELL, D.P. Anti-neutrophil nuclear antibody in ulcerative colitis. Crohn's disease and primary sclerosing cholangitis, 30
DE SOLDENHOFF, R. *see* RASHEED, F.N.
SPENGLER, U. *see* HOFFMANN, R.M.
SPICKETT, G.P. *see* NORTH, M.E.
STEELE, J. *see* FILLEY, E.
STEINKAMP, G. *see* SCHÖNFELD, W.
STONER, R.D. *see* KRAFT, R.
STRANDBERG PEDERSEN, N. *see* MOURITSEN, S.
STURANI, C. *see* MELICONI, R.
SUKENIK, S. *see* BUSKILA, D.

TAGAWA, S. *see* CHUGO, T.
TAIT, B.D. *see* BARNETT, A.J.
TAKANO, N. *see* YACHIE, A.
TAKANO, N. *see* UENO, Y.
TANIGUCHI, N. *see* YACHIE, A.
TANUMA, Y., OHI, H., WATANABE, S., SEKI, M. & HATANO, M. C3 nephritic factor and C4 nephritic factor in the serum of two patients with hypocomplementaemic membranoproliferative glomerulonephritis, 82
TAUBMAN, M.A. *see* SMITH, D.J.
TAVERNE, J. *see* MORENO, C.
TEGGI, A. *see* D'AMLEIO, R.
TERTTI, R., GRANFORS, K., LAHESMAA-RANTALA, R. & TOIVANEN, A. Serum opsonic capacity against *Yersinia enterocolitica* 0:3 in yersiniosis patients with or without reactive arthritis, 227
THORNE, R. see HOFMAN-GOETZ, L.
TILMANT, L., DESSAINT, J.P., TSICOPOULOS, A., TONNEL, A.B. & CAPRON, A. Concomitant augmentation of $CD4^+$ $CD45R^+$ suppressor/inducer subset and diminution of $CD4^+$ $CDw29^+$ helper/inducer subset during rush hyposensitization in hymenoptera venom allergy, 13
TOH, B.H. *see* BARNETT, A.J.
TOIVANEN, A. *see* GASTON, J.S.H.
TOIVANEN, A. *see* TERTTI, R.
TONNEL, A.B. *see* TILMANT, L.
TRAUTMANN, M. *see* CROSS, A.S.
TRUFFOT-PERNOT, C. *see* LECOEUR, H.F.
TSICOPOULOS, A. *see* TILMANT, L.
TSUCHIYA, N., HUSBY, G. & WILLIAMS, R.C., JR. Studies of humoral and cell-mediated immunities to peptides shared by HLA-27.1 and *Klebsiella pneumoniae* nitrogenase in ankylosing spondylitis, 354
TSUKAMOTO, K. *see* NARUO, K.-I.
TUNG, K. *see* FILLEY, E.
TURCOTTE, R. & LEMIEUX, S. Unresponsiveness to Con A in spleen cell cultures of *M. lepraemurium*-infected mice is dependent on a defective expression of high-affinity IL-2 receptors rather than on a lack of IL-2 production, 126
TVEDE, N., HEILMAN, C. & DALH CHRISTENSEN, L. Interleukin 2 receptor expression by human blood lymphocytes after vaccination with pneumococcal polysaccharides, 404

UEDA, E. *see* CHUGO, T.
UENO, Y. *see* YACHIE, A.
UENO, Y., TAKANO, N., KANEGANE, H., YOKOI, T., YACHIE, A., MIYAWAKI, T. & TANIGUCHI, N. The acute phase nature of interleukin 6: studies in Kawasaki disease and other febrile illnesses, 337
URING-LAMBERT, B. *see* HOLME, E.R.

VEITCH, J. *see* HOLME, E.R.
VAN VENROOIJ, W.J. *see* HABETS, W.J.A.
VINCENT, C. *see* MILLET, I.
VITTI, P. *see* CHIOVATO, L.
VOLK, H.-D., JOSIMOVIC-ALASEVIC, O., GROSS, M. & DIAMANTSTEIN, T. The therapeutic efficacy of an anti-IL-2 receptor monoclonal antibody correlates with an increase in serum soluble IL-2 receptor levels, 121
VOORBY, H.A.M., VAN DER GAAG, R.D., JEUCKEN, P.H.M., BLOOT, A.M. & DREXHAGE, H.A. The goitre of the BB/O rat: an animal-model for studying the role of immunoglobulins stimulating growth of thyroid cells, 290
VORNG, H. *see* PANCRE, V.
DE VRIES, J.E. *see* MILLET, I.

WAGNER, D. *see* FILLEY, E.
WAHREN, B. *see* BROLIDEN, P.
WALKER, C.A., FITZHARRIS, P., LONGBOTTOM, J.L. & NEWMAN TAYLOR, A.J. Lymphocyte sensitization to *Aspergillus fumigatus* in allergic bronchopulmonary aspergillosis, 34
WARNATZ, H. *see* RUSCHEN, R.
WATANABE, S. *see* TANUMA, Y.
WATERS, M. *see* FILLEY, E.
WEBSTER, A.D.B. *see* NORTH, M.E.
WEISSBACH, H. *see* MAGSAAM, J.
WHALEY, K. *see* HOLME, E.R.
WAHLEY, K. *see* LAPPIN, D.
WHITE, S.I. *see* FRIEDMANN, P.S.
WIIK, A. *see* MOURITSEN, S.
WILEY, K.N., CLARK, A. & FOX, M. The *in-vitro* inhibition of rat alloantigen presentation by immunotoxins—implications for allografting, 132
WILLIAMS, M.M. *see* BHALLA, A.K.
WILLIAMS, R.C. JR *see* TSUCHIYA, N.
WILLIS, D.A. *see* KENNEDY. I.C.S.

YACHIE, A., UENO, Y. TAKANO, N., MIYAWAKI, T. & TANIGUCHI, N. Developmental changes of double-negative (CD+4−8−) T cells in human peripheral blood, 258
YACHIE, A. *see* UENO, Y.
YANEVA, M. & ARNETT, F.C. Antibodies against Ku protein in sera from patients with autoimmune disease, 366
YOKOI, T. *see* UENO, Y.

ZIER, K.S. *see* GANSBACHER, B.

Subject Index

Accessory cells in leprosy, 233
Activation, 440
Acute phase protein, 337
Activation, T cell, 311
Adverse reactions, 1
AIDS, 216, 332
APBA, 34
Adult periodontitis, 103
Affinity constants, 92
Agalactosyl IgG, 343
Allergens, 34
Allergy, 13
Allogeneic stimulation, 428
Alpha feto-protein, 262
Alveolitis, cryptogenic fibrosing, 184
Amyloid, 296
Amyloid enhancing factor, 296
Anaesthetic, 422
Animal model, 290
Ankylosing spondylitis, 354
Anti Ro(SSA), 373
Anti-Ku antibodies, 366
Anti-cancer, 278
Anti-cardiolipin antibodies, 178
Anti-myelin, 452
Anti-microsomal antibody, 47
Anti-nuclear antibodies, 30, 190
Anti-tuberculous drugs, 458
Anti-DNA antibodies, 378
Antibody, 452
Antibody, anti-microsomal, 47
Antibody clonotypes, 117
Antibody responses, 138
Antibody specificity, 384
Antibodies, anti-cardiolipin, 178
Antibodies, anti-Ku, 366
Antibodies, anti-nuclear, 30, 190
Antibodies, anti-DNA, 378
Antigen, *Mycobacterium leprae*, 398
Antigen presentation, 233
Antigens, 422
Antigens, bacterial, 348
Arthritis, reactive, 348, 361
Aspergillus fumigatus, 34
Autoantibodies, 165, 190, 378
Autoimmune disease, 366, 378
Autoimmunity, 172, 190, 262, 301
Autoimmunity, virus induced, 412

B cell activation, polyclonal, 412
B cells, 268, 446
BCGF, 61
Bacteroides gingivalis (*Porphyromons gingivalis*), 103
Bacterial antigens, 348
Barium, 311
Basophils, 434
Bcg gene, 458
Bronchoalveolar lavage, 41

C3, 82
C3 nephritic factor, 82
CD4 cells, 24
C4 nephritic factor, 82
C5, 82
CD8 cells, 24
CD8 deficiency, 24
Cholera toxoid, 111
CLL B cell activation, 61
Calcium ionophore, 61
Cell differentiation, 274
Cell-mediated immune reaction, 463
Chemiluminescence, 73
Chlorpromazine, 252
Cholangitis, 30
Cholera toxin, 111
Chronic, 452
Chronic hepatitis B surface antigen carriers, 222
Cirrhosis, primary biliary, 210
Class II, 440
Clonal B cell expansion, 54
Coeliac disease, 384
Colitis, ulcerative, 30
Complement, 227
Complement synthesis, 86
Connective tissue disease, 172, 184
Crohn's disease, 30
Cryoglobulinaemia, 54
Cryptogenic fibrosing alveolitis, 184
Cyclophosphamide, 159
Cyclosporin A, 311, 428
Cystic fibrosis, 434

DNCB, 68
DTH, 111
Defective immune responses, 126
Dendritic cells, 233, 324
1,25-dihydroxyvitamin D3, 274
Disease
  Autoimmune, 366, 378
  Coeliac, 384
  Connective tissue, 172, 184
  Crohn's, 30
  Graft-versus-host, 284
  Hodgkin's, 324
  Immune complex, 76
  Kawasaki, 337
  Lung, 41
  Periodontal, 103
Double-negative T cells, 258
Drugs, anti-tuberculous, 458

ELISA, 172, 178
Effector cell, 278
Effector T cell, 111
Elderly, 73
Endostreptosin (ESS), 198
Epstein–Barr virus, 412
Erythema nodosum leprosum, 343
Experimental transplantation, 132

Febrile illness, 337
Factor VII, 428
Fc receptors, 268
Female protein, 296
Fibronectin, 92
Fimbriae, 103
Flow cytometry, 307
Follicle-associated epithelium, 144

Gamma interferon, 86
Genetics H-2, 284
Germinal centres, 138

Glomerular injury, hapten-specific, 463
Glomerulonephritis, 82
Glomerulonephritis, post-streptococcal, 198
Gluten-derived peptides, 384
Goitre, 290
Graft pretreatment, 132
Graft-verus-host disease, 284
Gram-negative, 8
Granulocyte-macrophage colony-stimulating factor, 149

HIV, 216
HLA alleles, 24
HLA-B8/DR3, 317
HLA-B27.1, 354
Haemophilus influenzae, 73
Halothane, 422
Hapten-specific glomerular injury, 463
Hepatitis B surface antigen (HBsAG), 222
Hepatitis B surface antigen, chronic carriers, 222
High-affinity receptors of interleukin 2, 126
Histamine release, 434
Histocompatibility, 317
Hodgkin's disease, 324
Human lymphocytes, 404
Human tolerance, 68
Hydatiosis, 117
Hypogammaglobulinaemia, 1, 8, 19

Idiotypes, 204
IgA nephropathy, 204
IgA, 227, 268
IgA receptor, 268
IgA subclasses, 97, 103, 216
IgG synthesis, 252
IgM, 391
Immune response, 361, 422
Immune complex disease, 76
Immune complexes, 138, 204
Immune reaction, cell-mediated, 463
Immunoblotting, 361, 366
Immunocytology, 324
Immunoglobulin, 1
Immunoglobulin, intravenous, 8
Immunoglobulins, monoclonal, 378
Immunopathology, 210
Immunoperoxidase techniques, 30
Immunoregulation, 252
Immunosuppression, 121
Immunotherapy, 13
Immunotoxins, 132
Indomethacin, 252, 398
Infant saliva, 97
Inhibition studies, 178
Interferon gamma, 86, 246, 428
Interferon, 301
Interleukin 1, 246, 252
Interleukin 2, 61, 126, 278, 311, 317
Interleukin-2 receptor, 121, 343, 404
Interleukin 6, 337
Intravenous immunoglobulins, 8,159

Kawasaki disease, 337
Klebsiella pneumoniae nitrogenase, 354

L428, 324
Leishmania, 190
Leprosy, 233, 343
Leprosy, accessory cells in, 233
Leprosy lymphocytotoxic autoantibodies, 391
Leu 11, 154
Lipoarabinomannan, 240
Lipopolysaccharide, 103
Lung disease, 41
Lupus nephritis, 284

Lymphocyte markers, 13
Lymphocyte subsets, 13, 307
Lymphocytes, human, 404
Lymphocytes, 24, 317
Lymphokine, 417

M cells, 144
MHC, 284
Macrophages, 41, 246
Major histocompatibility complex, 284
Membranoproliferative, 82
Memory B cells, 138
Mesangium, 204
Mice, 301
Mitogens, 19
Monoclonal antibodies, 307, 384
Monoclonal anti-interleukin-2 receptor antibodies, 121
Monoclonal immunoglobulins, 378
Monocytes, 86
Mycobacterium leprae antigen, 398
Mycobacterium lepraemurium, 126
Mycobacteria, 240

Natural killer, 154
Natural suppressor cells, 262
Neuritis, 452
Neutrophils, 149
Non-specific reactivity, 332

Opsonization, 1, 8, 73, 227

PUVA, 68
Periodontal disease, 103
Periodontitis, adult, 103
Pestivirus, 446
Peyer's patches, 144
Phagocytosis, 144
Phenotypes, 446
Phorbol ester, 61
Phytohaemagglutinin, 311
Plasma, 452
Platelets, 417
Pneumococcal polysaccharides, 404
Polyclonal B cell activation, 412
Polyclonal IgG, 92
Polysaccharides, pneumococcal, 404
Post-streptococcal glomerulonephritis, 198
Prednisolone, 428
Primary biliary cirrhosis, 210
Properdin deficiency, 76

Reactive arthritis, 227, 348, 361
Recombinant DNA, 172
Reed-Sternberg cell, 324
Replacement, 1
Retinoic acid, 274
Rheumatoid arthritis, 246
Ribosomal P protein, 165
RNP antigens, 172

Salivary IgM, 97
Schistosoma mansoni, 417
Scleroderma, 24
Screening, 332
Septicaemia, 8
Serum amyloid A protein, 296
Serum amyloid P component, 296
Skin windows, 149
Solubilization, 76
Soluble interleukin-2 receptor, 121
Species specific, 373
Stress, 307
Suppression, 417
Syngeneic murine pregnancy, 262

Synovial T lymphocytes, 348
Systemic lupus erythematosus, 165, 178, 373

T and B cell activation, 222
T cell function, 19
T cell clones, 34, 210
T cells, 440, 446
T cells, double-negative, 258
T lymphocyte, 34
TCR γ/δ, 258
TGI, 290
TNP, 463
Treadmill exercise, 307
Tetanus toxoid, 138
Thymidylate synthetase, 19
Thyroid microsomal antigen, 47
Thyroid peroxidase, 47
Thyrotrophin, 47
Tissue factor, 428
Topoisomerase II, 184
Tuberculosis, 240, 343, 378
Tumour necrosis factor, 240

UVB, 68
Ulcerative colitis, 30
Unresponsiveness, 68

VDRL-antigen syphilis, 178
Virus, Epstein–Barr, 412
Virus-induced autoimmunity, 412
Vitamin D-binding protein, 154
Volatile, 422

Western blot, 332
Winn assay, 278

Yersinia enterocolitica, 227, 361